

SECURITY REPORT



SCAN TARGET

https://www.marriott.com/default.mi?nst=paid&cid=PAI_GLB0004YXD_GLE000D7HI_GLF000TS7F&ppc=ppc&pld=us tbppc

Open ports detected: 0 · Public IP: 23.36.20.118

A risk score of 4/10 (MEDIUM) indicates your business has security issues that need attention. The higher the score, the greater the chance of a breach, ransomware, or data theft.

EXECUTIVE SUMMARY

The security scan of www.marriott.com found 109 issues including 2 high-risk and 4 medium-risk findings. The most critical issue is 'Missing SPF Record — Email Spoofing Possible' which requires immediate attention. Full remediation steps are provided for each finding below.

✓ Your server is reachable, which means the web checks and SSL analysis were able to run successfully.

TOP RECOMMENDATIONS

- 1 Missing SPF Record — Email Spoofing Possible: Add an SPF TXT record to your DNS listing every service that actually sends mail for this domain — leaving one out will cause its mail to fail SPF and possibly get rejected.
- 2 Missing DMARC Record — Email Impersonation Risk: Add a DMARC TXT record to your DNS.
- 3 HTTP Not Redirecting to HTTPS: Add a permanent redirect from HTTP to HTTPS.

DETAILED FINDINGS

Missing SPF Record — Email Spoofing Possible

Port DNS · SPF Record

HIGH

WHAT IT IS	No SPF record — there's no DNS-level list of which mail servers are authorized to send using this domain's envelope sender, so any server can pass an SPF check for your domain
BUSINESS RISK	Without SPF, nothing tells receiving mail servers which senders are legitimate for this domain's SMTP envelope, making it easier for forged mail to get through — and easier for your own legitimate mail to be misjudged as spam. Note that SPF on its own, even correctly configured, doesn't stop the visible 'From:' address a recipient sees from being spoofed — that requires DMARC (see below) to enforce alignment between SPF/DKIM and the From header.
REAL-WORLD EXAMPLE	Example: A customer receives an email that looks exactly like it's from the business — same display name, same domain — asking them to 'confirm' a payment or click a link, with nothing in DNS to stop the forgery or warn the recipient.
HOW TO FIX	Add an SPF TXT record to your DNS listing every service that actually sends mail for this domain — leaving one out will cause its mail to fail SPF and possibly get rejected. Log into your domain registrar, go to DNS, add a TXT record for '@' with a value matching your provider: Google Workspace: 'v=spf1 include:_spf.google.com -all' Microsoft 365: 'v=spf1 include:spf.protection.outlook.com -all'. If you use additional senders (helpdesk, marketing platform, invoicing tool, etc.), add each as its own 'include:' entry in the same record — a domain can only have one SPF TXT record, so don't create a second one. Use https://mxtoolbox.com/spf.aspx to verify, then add a DMARC record too so the visible From address is covered as well.
URGENCY	Fix immediately
REFERENCE	CWE-290 — Authentication Bypass by Spoofing The login or identity check can be tricked by faking trusted information, letting an attacker in without real credentials.

Missing DMARC Record — Email Impersonation Risk

Port DNS · DMARC Record

HIGH

WHAT IT IS	No DMARC record — your domain has zero email authentication enforcement, making it trivial to impersonate your business
BUSINESS RISK	This makes it significantly easier for scammers to send convincing fake emails 'from' your business — a common tactic in invoice fraud and phishing — which can directly cost your customers money and damage trust in your brand.
REAL-WORLD EXAMPLE	Example: A scammer sends an invoice-fraud email that appears to come straight from the business's own domain; with no DMARC record in place, nothing tells the recipient's mail provider the message is forged, so it lands in the inbox looking completely legitimate.
HOW TO FIX	Add a DMARC TXT record to your DNS. Go to your domain registrar's DNS settings, add a TXT record for '_dmarc' (not '@') with value: 'v=DMARC1; p=none; rua=mailto:youremail@yourdomain.com' Start at p=none — this only turns on reporting, nothing is blocked yet. Review the aggregate reports for a few weeks to confirm every legitimate mail source for this domain (email provider, helpdesk, marketing tools, etc.) is passing DMARC alignment, then move to p=quarantine, and finally p=reject once you're confident nothing legitimate will be caught. Verify at https://mxtoolbox.com/dmarc.aspx
URGENCY	Fix immediately
REFERENCE	CWE-290 — Authentication Bypass by Spoofing The login or identity check can be tricked by faking trusted information, letting an attacker in without real credentials.

HTTP Not Redirecting to HTTPS

Port HTTP · HTTPS Redirect

MEDIUM

WHAT IT IS	Visiting <code>http://</code> doesn't redirect to <code>https://</code> — some visitors may use an unencrypted connection without knowing
BUSINESS RISK	Anyone who types or clicks an <code>http://</code> link is sending their activity on your site — potentially including form data or passwords — unencrypted, where it can be read by anyone on the same public wifi or compromised network.
REAL-WORLD EXAMPLE	Example: A customer types the domain into their browser without <code>'https://'</code> , lands on the unencrypted version of the site, and submits a form before ever reaching the secure page — sending that data in plain text the whole time.
HOW TO FIX	Add a permanent redirect from HTTP to HTTPS. Nginx: add <code>'return 301 https://\$host\$request_uri;'</code> in your port 80 server block. Apache: add <code>'RewriteRule ^ https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]'</code> in your <code>.htaccess</code> . Cloudflare users: go to <code>SSL/TLS > Edge Certificates > enable 'Always Use HTTPS'</code> .
URGENCY	Fix within 1 week
REFERENCE	CWE-319 — Cleartext Transmission of Sensitive Information Sensitive data is sent over the network unencrypted, so anyone monitoring the connection can read it.

Missing Clickjacking Protection (X-Frame-Options)

Port HTTPS · Clickjacking Protection

MEDIUM

WHAT IT IS	Missing X-Frame-Options — your website can be embedded in an attacker's invisible iframe to trick users into unwanted actions
BUSINESS RISK	An attacker could trick your customers into clicking hidden buttons — like 'change password' or 'confirm purchase' — without realizing it, potentially leading to account takeovers or unauthorized actions carried out under your brand's name.
REAL-WORLD EXAMPLE	Example: An attacker embeds the site's 'delete account' or 'confirm payment' button inside an invisible iframe on their own page, disguised under something like a fake 'play video' button — a visitor's real click triggers the hidden action on your site.
HOW TO FIX	Add the X-Frame-Options header. Nginx: <code>'add_header X-Frame-Options "SAMEORIGIN" always;'</code> Apache: <code>'Header always set X-Frame-Options SAMEORIGIN'</code> This tells browsers to only allow your site to be framed by pages on the same domain.
URGENCY	Fix within 1 week
REFERENCE	CWE-1021 — Improper Restriction of Rendered UI Layers (Clickjacking) The site doesn't prevent itself from being embedded inside another page, which attackers can exploit to trick users into clicking something they didn't intend to.

Missing Content-Security-Policy (CSP)

Port HTTPS · Content Security Policy

MEDIUM

WHAT IT IS	Missing Content-Security-Policy (CSP) — this site has no CSP defense-in-depth layer, so if any cross-site scripting weakness exists elsewhere it's easier to exploit; this finding on its own doesn't mean an XSS vulnerability exists on this site
BUSINESS RISK	CSP is a defense-in-depth browser control, not evidence of an active vulnerability by itself — but if an attacker ever manages to slip malicious script onto your site through some other weakness (e.g. a vulnerable plugin or a comment field), a good CSP is often what stops that script from running and stealing customer data such as login sessions or payment details. Without it, that second layer of protection isn't there.
REAL-WORLD EXAMPLE	Example: A vulnerable comment form or compromised ad widget lets an attacker inject a script tag; with a properly scoped CSP in place, the browser would refuse to run it — without CSP, that same injected script runs freely and can forward a visitor's session cookie to the attacker.
HOW TO FIX	Add a Content-Security-Policy header, but roll it out carefully — a misconfigured CSP can break legitimate scripts/styles on the site. Start by deploying it in Report-Only mode first, which reports violations without blocking anything: <code>'add_header Content-Security-Policy-Report-Only "default-src \'self\'; script-src \'self\'; object-src \'none\'; report-uri /csp-report";'</code> Review the reports for a while to catch anything the policy would break, adjust the policy, then switch the header name to 'Content-Security-Policy' (without '-Report-Only') to start enforcing it. For WordPress or complex sites, use https://csp-evaluator.withgoogle.com to help build the policy.
URGENCY	Fix within 1 week
REFERENCE	CWE-693 — Protection Mechanism Failure A security safeguard that should be protecting the system is missing, disabled, or not strong enough.

DKIM Not Detected Under Common Selectors

Port DNS · DKIM Record

MEDIUM

WHAT IT IS	No DKIM record found under common selector names — this does not confirm DKIM is unconfigured, only that it wasn't found under any of the selector names checked; many providers use a custom or provider-specific selector this check can't guess
BUSINESS RISK	If DKIM genuinely isn't configured, email providers increasingly use it as a trust signal, and its absence can make legitimate emails more likely to be flagged as suspicious or land in spam. But this check only queries a fixed list of common selector names (default, google, mail, etc.) — many providers assign a random or account-specific selector, so this finding should be treated as 'couldn't confirm DKIM,' not 'DKIM is definitely missing.'
REAL-WORLD EXAMPLE	Example: A legitimate invoice email from the business gets flagged as suspicious or dropped into spam by the recipient's mail provider, simply because there's no DKIM signature to prove the message wasn't altered or forged in transit — this only actually happens if DKIM is truly unconfigured, which this check alone can't confirm.
HOW TO FIX	First confirm whether DKIM is actually configured: check your email provider's admin console (Google Workspace: Admin console > Apps > Gmail > Authenticate email; Microsoft 365: Defender > Email authentication > DKIM) for the exact selector name in use, since it's often not one of the common defaults this scan checks. If it turns out DKIM genuinely isn't enabled, turn it on there and add the resulting TXT record to DNS. If you're not sure how to check, share the selector name your provider gives you and this can be verified directly.
URGENCY	Fix within 1 week
REFERENCE	CWE-290 — Authentication Bypass by Spoofing The login or identity check can be tricked by faking trusted information, letting an attacker in without real credentials.

Missing MIME Sniffing Protection

Port HTTPS · MIME Sniffing

LOW

WHAT IT IS	Missing X-Content-Type-Options — browsers may guess file types incorrectly, which can enable content injection
BUSINESS RISK	This is a minor gap on its own, but it slightly raises the odds that a malicious file could be misread as something else by a visitor's browser, helping a separate attack succeed.
REAL-WORLD EXAMPLE	Example: A user-uploaded file intended to be harmless (like an image) is reinterpreted by the browser as executable script because the server never told it what the file actually was, letting an unrelated vulnerability turn into a working attack.
HOW TO FIX	Add: 'add_header X-Content-Type-Options "nosniff" always;' (Nginx) or 'Header always set X-Content-Type-Options nosniff' (Apache). This is a one-line fix that takes 2 minutes.
URGENCY	Fix within 1 month
REFERENCE	CWE-693 — Protection Mechanism Failure A security safeguard that should be protecting the system is missing, disabled, or not strong enough.

Missing Referrer-Policy Header

Port HTTPS · Referrer Policy

LOW

WHAT IT IS	Missing Referrer-Policy — page URLs (which may include sensitive data) are shared with third-party sites your pages link to
BUSINESS RISK	If any of your page addresses contain sensitive details (like a password-reset token or account ID), that information could leak to outside sites your pages link to — a small but easily avoidable privacy gap.
REAL-WORLD EXAMPLE	Example: A customer clicks an outbound link from a page whose URL happens to include an account ID or a password-reset token, and that full address — token included — is handed to the destination site in the Referer header.
HOW TO FIX	Add: 'add_header Referrer-Policy "strict-origin-when-cross-origin" always;' (Nginx) or 'Header always set Referrer-Policy strict-origin-when-cross-origin' (Apache).
URGENCY	Fix within 1 month
REFERENCE	CWE-16 — Configuration The weakness comes from how the software was configured, not from a flaw in its code.

Missing Permissions-Policy Header

Port HTTPS · Permissions Policy

LOW

WHAT IT IS	Missing Permissions-Policy — browser features like camera, microphone, and location aren't restricted for embedded third-party scripts
BUSINESS RISK	If you ever embed third-party ads, widgets, or analytics scripts, they could request a visitor's camera, microphone, or location without you intending to allow it — an avoidable privacy risk for your customers.
REAL-WORLD EXAMPLE	Example: An embedded ad network's script requests the visitor's location or microphone access through a permission prompt the site owner never intended to allow, simply because nothing in the page's headers restricted it.
HOW TO FIX	Add: 'add_header Permissions-Policy "camera=(), microphone=(), geolocation=()" always;' Adjust based on what your site actually uses. This limits what ad/analytics scripts can access.
URGENCY	Monitor
REFERENCE	CWE-693 — Protection Mechanism Failure A security safeguard that should be protecting the system is missing, disabled, or not strong enough.

Insecure Cookie Flags (device-characteristics)

Port HTTPS · Cookie Security

LOW

WHAT IT IS	Cookie 'device-characteristics' is missing the HttpOnly, SameSite flag(s). Observed attributes: path=/, secure.
BUSINESS RISK	This cookie's name doesn't clearly indicate it holds session or authentication data, so the practical impact depends on what value it actually stores — anywhere from low-stakes (a UI preference) to more sensitive (tracking or personalization data). Missing these flags means whatever the cookie does hold is more exposed than it needs to be to interception or script access.
REAL-WORLD EXAMPLE	Example: whatever value 'device-characteristics' holds could be read by an injected script (no HttpOnly) or intercepted on an unencrypted connection (no Secure) — the actual severity depends on how sensitive that value turns out to be.
HOW TO FIX	Add the missing flag(s) when setting this cookie: Secure (only send over HTTPS), HttpOnly (block JavaScript access), SameSite=Lax or Strict (limit cross-site sending). Most frameworks expose this as a one-line config option — e.g. Flask: <code>app.config['SESSION_COOKIE_SECURE']=True, SESSION_COOKIE_HTTPONLY=True, SESSION_COOKIE_SAMESITE='Lax'.</code>
URGENCY	Fix within 1 month
REFERENCE	CWE-1004, CWE-1275 — Sensitive Cookie Without 'HttpOnly' Flag; Sensitive Cookie with Improper SameSite Attribute The cookie isn't marked HttpOnly, so a malicious script on the page (such as one injected via XSS) can read and steal it. The cookie's SameSite attribute isn't set to a safe value, making it easier for other sites to trick a visitor's browser into sending it in cross-site requests.

Insecure Cookie Flags (akmCC)

Port HTTPS · Cookie Security

LOW

WHAT IT IS	Cookie 'akmCC' is missing the Secure, HttpOnly, SameSite flag(s). Observed attributes: path=/.
BUSINESS RISK	This cookie's name doesn't clearly indicate it holds session or authentication data, so the practical impact depends on what value it actually stores — anywhere from low-stakes (a UI preference) to more sensitive (tracking or personalization data). Missing these flags means whatever the cookie does hold is more exposed than it needs to be to interception or script access.
REAL-WORLD EXAMPLE	Example: whatever value 'akmCC' holds could be read by an injected script (no HttpOnly) or intercepted on an unencrypted connection (no Secure) — the actual severity depends on how sensitive that value turns out to be.
HOW TO FIX	Add the missing flag(s) when setting this cookie: Secure (only send over HTTPS), HttpOnly (block JavaScript access), SameSite=Lax or Strict (limit cross-site sending). Most frameworks expose this as a one-line config option — e.g. Flask: <code>app.config['SESSION_COOKIE_SECURE']=True, SESSION_COOKIE_HTTPONLY=True, SESSION_COOKIE_SAMESITE='Lax'.</code>
URGENCY	Fix within 1 month
REFERENCE	CWE-614, CWE-1004, CWE-1275 — Sensitive Cookie in HTTPS Session Without 'Secure' Attribute; Sensitive Cookie Without 'HttpOnly' Flag; Sensitive Cookie with Improper SameSite Attribute The cookie isn't marked Secure, so a browser could send it over an unencrypted connection where it can be intercepted. The cookie isn't marked HttpOnly, so a malicious script on the page (such as one injected via XSS) can read and steal it. The cookie's SameSite attribute isn't set to a safe value, making it easier for other sites to trick a visitor's browser into sending it in cross-site requests.

Protected Path — /.env

Port PATH · Content Discovery

LOW

WHAT IT IS	/.env returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.env returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config.php

Port PATH · Content Discovery

LOW

WHAT IT IS	/config.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.git/config

Port PATH · Content Discovery

LOW

WHAT IT IS	/.git/config returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.git/config returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.svn/entries

Port PATH · Content Discovery

LOW

WHAT IT IS	/.svn/entries returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.svn/entries returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.htpasswd

Port PATH · Content Discovery

LOW

WHAT IT IS	/.htpasswd returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.htpasswd returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /db.sql

Port PATH · Content Discovery

LOW

WHAT IT IS	/db.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/db.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /database.sql

Port PATH · Content Discovery

LOW

WHAT IT IS	/database.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/database.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup.sql

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /id_rsa

Port PATH · Content Discovery

LOW

WHAT IT IS	/id_rsa returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/id_rsa returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /phpinfo.php

Port PATH · Content Discovery

LOW

WHAT IT IS	/phpinfo.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/phpinfo.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /administrator/

Port PATH · Content Discovery

LOW

WHAT IT IS	/administrator/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/administrator/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /server-status

Port PATH · Content Discovery

LOW

WHAT IT IS	/server-status returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/server-status returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /admin/

Port PATH · Content Discovery

LOW

WHAT IT IS	/admin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/admin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup/

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backups/

Port PATH · Content Discovery

LOW

WHAT IT IS	/backups/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backups/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /dashboard/

Port PATH · Content Discovery

LOW

WHAT IT IS	/dashboard/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/dashboard/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config/

Port PATH · Content Discovery

LOW

WHAT IT IS	/config/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /login/

Port PATH · Content Discovery

LOW

WHAT IT IS	/login/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/login/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /swagger-ui/

Port PATH · Content Discovery

LOW

WHAT IT IS	/swagger-ui/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/swagger-ui/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /swagger.json

Port PATH · Content Discovery

LOW

WHAT IT IS	/swagger.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/swagger.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /debug/

Port PATH · Content Discovery

LOW

WHAT IT IS	/debug/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/debug/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /api/

Port PATH · Content Discovery

LOW

WHAT IT IS	/api/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/api/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /openapi.json

Port PATH · Content Discovery

LOW

WHAT IT IS	/openapi.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/openapi.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /dev/

Port PATH · Content Discovery

LOW

WHAT IT IS	/dev/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/dev/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /test/

Port PATH · Content Discovery

LOW

WHAT IT IS	/test/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/test/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.aws/credentials

Port PATH · Content Discovery

LOW

WHAT IT IS	/.aws/credentials returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.aws/credentials returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /old/

Port PATH · Content Discovery

LOW

WHAT IT IS	/old/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/old/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /staging/

Port PATH · Content Discovery

LOW

WHAT IT IS	/staging/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/staging/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /secret/

Port PATH · Content Discovery

LOW

WHAT IT IS	/secret/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/secret/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /hidden/

Port PATH · Content Discovery

LOW

WHAT IT IS	/hidden/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/hidden/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /tmp/

Port PATH · Content Discovery

LOW

WHAT IT IS	/tmp/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/tmp/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /private/

Port PATH · Content Discovery

LOW

WHAT IT IS	/private/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/private/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /uploads/

Port PATH · Content Discovery

LOW

WHAT IT IS	/uploads/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/uploads/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /actuator

Port PATH · Content Discovery

LOW

WHAT IT IS	/actuator returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/actuator returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /internal/

Port PATH · Content Discovery

LOW

WHAT IT IS	/internal/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/internal/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /api/v2/

Port PATH · Content Discovery

LOW

WHAT IT IS	/api/v2/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/api/v2/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /graphql

Port PATH · Content Discovery

LOW

WHAT IT IS	/graphql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/graphql returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /api/v1/

Port PATH · Content Discovery

LOW

WHAT IT IS	/api/v1/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/api/v1/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.well-known/security.txt

Port PATH · Content Discovery

LOW

WHAT IT IS	/.well-known/security.txt returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.well-known/security.txt returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /composer.json

Port PATH · Content Discovery

LOW

WHAT IT IS	/composer.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/composer.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /actuator/health

Port PATH · Content Discovery

LOW

WHAT IT IS	/actuator/health returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/actuator/health returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /package.json

Port PATH · Content Discovery

LOW

WHAT IT IS	/package.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/package.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /web.config

Port PATH · Content Discovery

LOW

WHAT IT IS	/web.config returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/web.config returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /adminer.php

Port PATH · Content Discovery

LOW

WHAT IT IS	/adminer.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/adminer.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /web.config.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/web.config.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/web.config.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /phpmyadmin/

Port PATH · Content Discovery

LOW

WHAT IT IS	/phpmyadmin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/phpmyadmin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /info.php

Port PATH · Content Discovery

LOW

WHAT IT IS	/info.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/info.php returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /wp-admin/

Port PATH · Content Discovery

LOW

WHAT IT IS	/wp-admin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/wp-admin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.DS_Store

Port PATH · Content Discovery

LOW

WHAT IT IS	/.DS_Store returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.DS_Store returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.vscode/settings.json

Port PATH · Content Discovery

LOW

WHAT IT IS	/.vscode/settings.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.vscode/settings.json returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /metrics

Port PATH · Content Discovery

LOW

WHAT IT IS	/metrics returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/metrics returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /.idea/workspace.xml

Port PATH · Content Discovery

LOW

WHAT IT IS	/.idea/workspace.xml returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/.idea/workspace.xml returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /status

Port PATH · Content Discovery

LOW

WHAT IT IS	/status returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/status returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /sitemap.xml

Port PATH · Content Discovery

LOW

WHAT IT IS	/sitemap.xml returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/sitemap.xml returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /debug.log

Port PATH · Content Discovery

LOW

WHAT IT IS	/debug.log returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/debug.log returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /error_log

Port PATH · Content Discovery

LOW

WHAT IT IS	/error_log returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/error_log returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /robots.txt

Port PATH · Content Discovery

LOW

WHAT IT IS	/robots.txt returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/robots.txt returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /site.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/site.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/site.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /backup.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/backup.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/backup.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /site.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/site.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/site.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /site.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/site.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/site.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /site.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/site.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/site.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /site.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/site.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/site.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /www.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/www.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/www.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /www.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/www.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/www.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /www.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/www.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/www.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /www.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/www.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/www.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /www.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/www.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/www.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /database.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/database.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/database.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /db.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/db.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/db.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /database.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/database.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/database.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /database.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/database.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/database.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /database.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/database.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/database.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /database.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/database.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/database.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /db.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/db.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/db.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /db.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/db.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/db.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /db.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/db.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/db.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /db.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/db.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/db.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/config.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/config.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/config.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /app.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/app.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/app.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/config.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /config.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/config.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/config.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /app.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/app.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/app.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /app.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/app.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/app.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /old.bak

Port PATH · Content Discovery

LOW

WHAT IT IS	/old.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/old.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /app.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/app.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/app.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /app.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/app.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/app.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /old.zip

Port PATH · Content Discovery

LOW

WHAT IT IS	/old.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/old.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /old.tar.gz

Port PATH · Content Discovery

LOW

WHAT IT IS	/old.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/old.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /old.old

Port PATH · Content Discovery

LOW

WHAT IT IS	/old.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/old.old returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /old.backup

Port PATH · Content Discovery

LOW

WHAT IT IS	/old.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
BUSINESS RISK	/old.backup returned HTTP 403. This confirms the path exists, but access control prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

Protected Path — /zh/

Port PATH · Content Discovery

LOW

WHAT IT IS	/zh/ returned HTTP 401. This confirms the path exists, but authentication prevented access — it was not accessed.
BUSINESS RISK	/zh/ returned HTTP 401. This confirms the path exists, but authentication prevented access — it was not accessed.
HOW TO FIX	No action needed if this is intentionally restricted. Confirm the credentials protecting it are strong and not left at a default.
URGENCY	Fix within 1 month
REFERENCE	CWE-284

PORT REFERENCE TABLE

PORT	SERVICE	RISK	DESCRIPTION
DNS	SPF Record	HIGH	No SPF record — there's no DNS-level list of which mail servers are authorized to send using this do
DNS	DMARC Record	HIGH	No DMARC record — your domain has zero email authentication enforcement, making it trivial to impersonate
HTTP	HTTPS Redirect	MEDIUM	Visiting http:// doesn't redirect to https:// — some visitors may use an unencrypted connection with
HTTPS	Clickjacking Protection	MEDIUM	Missing X-Frame-Options — your website can be embedded in an attacker's invisible iframe to trick users
HTTPS	Content Security Policy	MEDIUM	Missing Content-Security-Policy (CSP) — this site has no CSP defense-in-depth layer, so if any cross
DNS	DKIM Record	MEDIUM	No DKIM record found under common selector names — this does not confirm DKIM is unconfigured, only
HTTPS	MIME Sniffing	LOW	Missing X-Content-Type-Options — browsers may guess file types incorrectly, which can enable content
HTTPS	Referrer Policy	LOW	Missing Referrer-Policy — page URLs (which may include sensitive data) are shared with third-party sites
HTTPS	Permissions Policy	LOW	Missing Permissions-Policy — browser features like camera, microphone, and location aren't restricted
HTTPS	Cookie Security	LOW	Cookie 'device-characteristics' is missing the HttpOnly, SameSite flag(s). Observed attributes: path

HTTPS	Cookie Security	LOW	Cookie 'akmCC' is missing the Secure, HttpOnly, SameSite flag(s). Observed attributes: path=.
PATH	Content Discovery	LOW	/.env returned HTTP 403. This confirms the path exists, but access control prevented access — it was
PATH	Content Discovery	LOW	/config.php returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/.git/config returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/.svn/entries returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/.htpasswd returned HTTP 403. This confirms the path exists, but access control prevented access — i
PATH	Content Discovery	LOW	/db.sql returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/database.sql returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/backup.sql returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/id_rsa returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/phpinfo.php returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/administrator/ returned HTTP 403. This confirms the path exists, but access control prevented acces
PATH	Content Discovery	LOW	/server-status returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/admin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/backup/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/backups/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/dashboard/ returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/config/ returned HTTP 403. This confirms the path exists, but access control prevented access — it

PATH	Content Discovery	LOW	/login/ returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/swagger-ui/ returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/swagger.json returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/debug/ returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/api/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was
PATH	Content Discovery	LOW	/openapi.json returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/dev/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was
PATH	Content Discovery	LOW	/test/ returned HTTP 403. This confirms the path exists, but access control prevented access — it wa
PATH	Content Discovery	LOW	/aws/credentials returned HTTP 403. This confirms the path exists, but access control prevented acc
PATH	Content Discovery	LOW	/old/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was
PATH	Content Discovery	LOW	/staging/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/secret/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/hidden/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/tmp/ returned HTTP 403. This confirms the path exists, but access control prevented access — it was
PATH	Content Discovery	LOW	/private/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/uploads/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/actuator returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/internal/ returned HTTP 403. This confirms the path exists, but access control prevented access — i

PATH	Content Discovery	LOW	/api/v2/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/graphql returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/api/v1/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/.well-known/security.txt returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/composer.json returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/actuator/health returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/package.json returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/web.config returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/adminer.php returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/web.config.bak returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/phpmyadmin/ returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/info.php returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/wp-admin/ returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/.DS_Store returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/.vscode/settings.json returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/metrics returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/.idea/workspace.xml returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/status returned HTTP 403. This confirms the path exists, but access control prevented access — it

PATH	Content Discovery	LOW	/backup.bak returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/sitemap.xml returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/debug.log returned HTTP 403. This confirms the path exists, but access control prevented access — i
PATH	Content Discovery	LOW	/error_log returned HTTP 403. This confirms the path exists, but access control prevented access — i
PATH	Content Discovery	LOW	/robots.txt returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/backup.old returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/backup.backup returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/backup.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/site.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/backup.zip returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/site.old returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/site.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/site.backup returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/site.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/www.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/www.old returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/www.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/www.backup returned HTTP 403. This confirms the path exists, but access control prevented access —

PATH	Content Discovery	LOW	/www.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/database.bak returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/db.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/database.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/database.backup returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/database.zip returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/database.old returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/db.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/db.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access — i
PATH	Content Discovery	LOW	/db.old returned HTTP 403. This confirms the path exists, but access control prevented access — it w
PATH	Content Discovery	LOW	/db.backup returned HTTP 403. This confirms the path exists, but access control prevented access — i
PATH	Content Discovery	LOW	/config.bak returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/config.old returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/config.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/app.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/config.backup returned HTTP 403. This confirms the path exists, but access control prevented access
PATH	Content Discovery	LOW	/config.zip returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/app.backup returned HTTP 403. This confirms the path exists, but access control prevented access —

PATH	Content Discovery	LOW	/app.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/old.bak returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/app.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/app.old returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/old.zip returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/old.tar.gz returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/old.old returned HTTP 403. This confirms the path exists, but access control prevented access — it
PATH	Content Discovery	LOW	/old.backup returned HTTP 403. This confirms the path exists, but access control prevented access —
PATH	Content Discovery	LOW	/zh/ returned HTTP 401. This confirms the path exists, but authentication prevented access — it was

NEXT STEPS

→ Start with the 2 HIGH risk finding(s) today — these are your most urgent risks. First, address 'Missing SPF Record — Email Spoofing Possible': Add an SPF TXT record to your DNS listing every service that actually sends mail for this domain — leaving one out will cause its mail to fail SPF and possibly get rejected. Then work through the remaining findings in order of severity.

This report is for informational purposes only and represents a point-in-time automated scan. It is not a substitute for a professional penetration test.